

NORDIKA 1800



MASK &
ACCESSORIES
INCLUDED

- Alternating current (AC) MMA electrode welding machine, 140A. Supplied with accessories for welding.
- Usable electrodes: rutile up to 3,2 mm.
- Continuous adjustment of welding current.
- Thermostatic protection.

DESCRIPTION

MMA stick electrode welding machine in alternating current (AC).

Stepless regulation of welding current.




With thermostatic protection.

Usable electrodes: rutile.

Complete with MMA welding accessories.



TECHNICAL DATA

CODE	CODE 814189	V_{1PH}	SINGLEPHASE MAINS VOLTAGE 230 V	F	MAINS FREQUENCY 50 / 60 Hz
A_{MIN} MAX AC	CURRENT RANGE IN AC 40 - 140 A	V_{0 AC}	MAX NO LOAD VOLTAGE IN AC 48 V	P	ABSORBED POWER 2,5 kW
	MAINS FUSE 16 A	∅_{MIN} MAX AC	D.USABLE ELECTRODES AC 1,6 - 3,2 mm	IP	PROTECTION DEGREE IP21
	DIMENSIONS (LxWxH) 34,5 x 21,5 x 27,5 cm		WEIGHT 13,9 kg		

SUPPLIED ACCESSORIES



COLORADO 150B WORK CLAMP 150A
712001

SLAG REMOVER
712139



DALLAS 300 ELECTRODE HOLDER 300A

712260

ON REQUEST ACCESSORIES

KIT 200 RUTILE ELECTRODES Ø 2 MM

802467

KIT 120 RUTILE ELECTRODES Ø 2,5 MM

802468

KIT 100 RUTILE ELECTRODES Ø 3,2 MM

802469

RUTILE ELECTRODES D. 2,5 MM 20 PCS

802554

RUTILE ELECTRODES D. 3,2 MM 10 PCS

802555

DOWNLOAD



CATALOG IMAGE



INSTRUCTION MANUAL



SPARE PARTS LIST